

PAGE 1 OF 1

Q/A

☒

Based on an inspection this day the items listed below identify violations in operation or facilities which must be corrected by the next routine inspection or such shorter period of time as may be specified by the Department. Failure to comply may result in cessation of your operations.

34.

A REGULAR INSPECTION WAS CONDUCTED TODAY. PREVIOUS INSPECTION DATED 04/19/2018, RESULTED IN A GRADE/RATING OF O/A. THE FOLLOWING WERE OBSERVED TODAY:

12 SPAM PATTIES WITH INTERNAL TEMPERATURES OF 95°F - 107°F WERE FOUND. \* CORRECTIVE ACTION: DISCARDED 12 SPAM PATTIES IN GARBAGE RECEPTACLE.

TIME | TEMPERATURE CONTROL FOR SAFETY FOOD SHALL BE KEPT AT INTERNAL TEMPERATURE OF 140°F AND ABOVE TO LIMIT THE GROWTH OF PATHOGENS.

PHOTOS WERE TAKEN.

PLACARD "A" NO. 03050 POSTED ON WALL BEHIND SERVICE  
COUNTER IN THE OFFICE.

DISCUSSED THIS REPORT WITH SR. EVA CAMOTIN, PRINCIPAL.

**I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.**

\*When any of the following items are cited above, they shall be corrected within ten days of the inspection: (01); (02); (23); (27); (31).

RECEIVED BY (Name and Title)

SISTER EVA GAMOTIN, OP Legarafi 080818

DEH INSPECTOR (Name and Title)

V. RAYMUNDO BPHOI 300-9570